

In the Claims:

The listing of the claims will replace all prior versions and listings of the claims in the Application:

Listing of the Claims:

[cl001] 1. (currently amended) A tongue cleaner comprising:

a handle configured and adapted to be grasped by a human hand, the handle having a longitudinal axis,

a neck emanating from said handle,

a head region located distal to said neck,

a tongue brush located in said head region, said tongue brush including:

a bristle base configured to be a substantially rigid platform that will support tongue brush bristles in use, said bristle base having a proximal end adjacent said neck [and] a distal end, a top and a bottom, and

a plurality of bristles emanating from said bristle base top, each of said bristles having a proximal end adjacent said bristle base and a distal end, at least some of said bristles being tapered from their proximal end to their distal end to present a pointed bristle appearance,

at least some of said bristles being of differing heights, said bristles being arranged generally in order of descending height from said bristle base distal end to said bristle base proximal end,

at least some of said bristles having a curvature that causes them to curve toward said neck,

said bristles being flexible to accommodate brushing of a human tongue without causing injury to the tongue,

said bristles and said bristle base being formed as a single unitary component from the same material via an injection molding process,

said bristles emanating from said bristle base top in an individually-mounted and free-standing non-tufted configuration, and

a tongue scraper ~~located in said head region~~ emanating from said bristle base top, said tongue scraper including:

at least [one] a first tongue scraper blade, said first tongue scraper blade having sufficient flexibility to be useful in removing undesirable material from a human tongue by a scraping action;

~~said tongue scraper blade emanating from said bristle base.~~

[cl002] 2. (currently amended) A device as recited in claim 1

~~wherein said bristle base has a top and a bottom;~~

~~wherein said bristles emanate from said bristle base top; and~~

wherein a second tongue scraper blade emanates from said bristle base bottom.

[cl003] 3. (currently amended) ~~A device as recited in claim 1~~ A tongue cleaner comprising:

a handle configured and adapted to be grasped by a human hand, the handle having a longitudinal axis,

a neck emanating from said handle,

a head region located distal to said neck,

a tongue brush located in said head region, said tongue brush including:

a bristle base configured to be a substantially rigid platform that will support tongue brush bristles in use, said bristle base having a proximal end adjacent said neck, a distal end, wherein said bristle base has a top and a bottom;

~~wherein said bristles emanate from said bristle base top; and~~

a plurality of bristles emanating from said bristle base top, each of said bristles having a proximal end adjacent said bristle base and a distal end, at least some of said bristles being tapered from their proximal end to their distal end to present a pointed bristle appearance,

at least some of said bristles being of differing heights, said bristles being arranged generally in order of descending height from said bristle base distal end to said bristle base proximal end,

at least some of said bristles having a curvature that causes them to curve toward said neck,

said bristles being flexible to accommodate brushing of a human tongue without causing injury to the tongue,

said bristles and said bristle base being formed as a single unitary component from the same material via an injection molding process,

said bristles emanating from said bristle base top in an individually-mounted and free-standing non-tufted configuration, and

a tongue scraper located in said head region, said tongue scraper including:

at least one tongue scraper blade, said tongue scraper blade having sufficient flexibility to be useful in removing undesirable material from a human tongue by a scraping action, said tongue scraper blade emanating wherein said tongue scraper blade emanates from said bristle base top adjacent said bristles.

[c1004] 4. (currently amended) ~~A device as recited in claim 1~~ A tongue cleaner comprising:
a handle configured and adapted to be grasped by a human hand, the handle having a longitudinal axis,

a neck emanating from said handle,

a head region located distal to said neck,

a tongue brush located in said head region, said tongue brush including:

a bristle base configured to be a substantially rigid platform that will support tongue brush bristles in use, said bristle base having a proximal end adjacent said neck and a distal end, and

a plurality of bristles emanating from said bristle base, each of said bristles having a proximal end adjacent said bristle base and a distal end, at least some of said bristles being tapered from their proximal end to their distal end to present a pointed bristle appearance,

at least some of said bristles being of differing heights, said bristles being arranged generally in order of descending height from said bristle base distal end to said bristle base proximal end,

at least some of said bristles having a curvature that causes them to curve toward said neck,

~~wherein~~ said bristles form forming a first colony at said bristle base distal end and a second colony at said bristle base proximal end[; and],

said bristles being flexible to accommodate brushing of a human tongue without causing injury to the tongue,

said bristles and said bristle base being formed as a single unitary component from the same material via an injection molding process,

said bristles emanating from said bristle base in an individually-mounted and free-standing non-tufted configuration, and

a tongue scraper located in said head region, said tongue scraper including:

at least one tongue scraper blade, said tongue scraper blade having sufficient flexibility to be useful in removing undesirable material from a human tongue by a scraping action,

said tongue scraper blade emanating wherein said tongue scraper blade emanates from a location between said first and second bristle colony.

[cl005] 5. (original) A device as recited in claim 1 wherein said handle, neck, bristle base, bristles and tongue scraper are formed as a single unitary component formed from a single material by an injection molding process.

[cl006] 6. (currently amended) ~~A device as recited in claim 1~~ A tongue cleaner comprising:
a handle configured and adapted to be grasped by a human hand, the handle having a longitudinal axis,

a neck emanating from said handle,

a head region located distal to said neck,

a tongue brush located in said head region, said tongue brush including:

a bristle base configured to be a substantially rigid platform that will support tongue brush bristles in use, said bristle base having a proximal end adjacent said neck and a distal end, and

a plurality of bristles emanating from said bristle base, each of said bristles having a proximal end adjacent said bristle base and a distal end, at least some of said bristles being tapered from their proximal end to their distal end to present a pointed bristle appearance,

at least some of said bristles being of differing heights, said bristles being arranged generally in order of descending height from said bristle base distal end to said bristle base proximal end,

at least some of said bristles having a curvature that causes them to curve toward said neck,

said bristles being flexible to accommodate brushing of a human tongue without causing injury to the tongue,

said bristles and said bristle base being formed as a single unitary component from the same material via an injection molding process,

said bristles emanating from said bristle base in an individually-mounted and free-standing non-tufted configuration,

a tongue scraper located in said head region, said tongue scraper including:

at least one tongue scraper blade, said tongue scraper blade having sufficient flexibility to be useful in removing undesirable material from a human tongue by a scraping action,

said tongue scraper blade emanating from said bristle base,

wherein said bristle base and bristles are formed from a first material by a first injection molding process, and the remainder of the tongue cleaner is formed from a second material by a second injection molding process; and

wherein said first material and said second material differ from each other.

[c1007] 7. (currently amended) ~~A device as recited in claim 1~~ A tongue cleaner comprising: a handle configured and adapted to be grasped by a human hand, the handle having a longitudinal axis,

a neck emanating from said handle,

a head region located distal to said neck,

a tongue brush located in said head region, wherein said tongue brush is formed from a first material by a first injection molding process[;], said tongue brush including:

a bristle base configured to be a substantially rigid platform that will support tongue brush bristles in use, said bristle base having a proximal end adjacent said neck and a distal end, and

a plurality of bristles emanating from said bristle base, each of said bristles having a proximal end adjacent said bristle base and a distal end, at least some of said bristles being tapered from their proximal end to their distal end to present a pointed bristle appearance,

at least some of said bristles being of differing heights, said bristles being arranged generally in order of descending height from said bristle base distal end to said bristle base proximal end,

at least some of said bristles having a curvature that causes them to curve toward said neck,

said bristles being flexible to accommodate brushing of a human tongue without causing injury to the tongue,

said bristles and said bristle base being formed as a single unitary component from the same material via an injection molding process,

said bristles emanating from said bristle base in an individually-mounted and free-standing non-tufted configuration,

a tongue scraper located in said head region, wherein said tongue scraper is formed from a second material by a second injection molding process[;], said tongue scraper including:

at least one tongue scraper blade, said tongue scraper blade having sufficient flexibility to be useful in removing undesirable material from a human tongue by a scraping action,

said tongue scraper blade emanating from said bristle base,

wherein said handle and neck are formed by a from a third material by a third injection molding process; and

wherein each of said first material, said second material and said third material are different from each other.

[cl008] 8. (original) A device as recited in claim 1 wherein at least a portion of the tongue cleaner includes a material selected from the group consisting of polypropylene, polyethylene, polystyrene, thermoplastic rubber, resin, silicon rubber, natural rubber and plastic.

[cl009] 9. (original) A device as recited in claim 1 wherein said neck is oriented at an angle of less than 180 degrees with said handle longitudinal axis.

[cl010] 10. (original) A device as recited in claim 1
further comprising a plurality of tongue scraper blades arranged in rows in the head region of the device;
wherein each of said tongue scraper blades has a longitudinal axis; and
wherein each of said tongue scraper blades is oriented with respect to said handle so that said tongue scraper blade longitudinal axis is generally orthogonal to said handle longitudinal axis.

[cl011] 11. (original) A device as recited in claim 1 further comprising finger grips located on said handle to enhance secure gripping of the handle.

[cl012] 12. (currently amended) A tongue cleaner comprising:
a handle configured and adapted to be grasped by a human hand, the handle having a longitudinal axis,
a neck emanating from said handle,
wherein said handle and neck are formed from a first material by a first injection molding process,
a head region located distal to said neck,
a tongue brush located in said head region, said tongue brush including:
a bristle base configured to be a substantially rigid platform that will support tongue brush bristles in use, said bristle base having a proximal end adjacent said neck and a distal end, [and]
a plurality of bristles emanating from said bristle base, each of said bristles having a proximal end adjacent said bristle base and a distal end, at least some of said bristles being tapered from their proximal end to their distal end to presented a pointed bristle appearance,
said bristles being flexible to accommodate brushing of a human tongue without causing injury to the tongue,
said bristles and said bristle base being formed as a single unitary component from [the same] a second material via [an] a second injection molding process, [and]

said bristles emanating from said bristle base in an individually-mounted and free-standing non-tufted configuration[.] , and

a tongue scraper located in said head region, wherein said tongue scraper is formed from a third material by a third injection molding process,

wherein each of said first material, said second material and said third material are different from each other.

[cl013] 13. (original) A device as recited in claim 12

wherein said bristles are arranged on said bristle base in a colony formation.

[cl014] 14. (original) A device as recited in claim 12

wherein said bristles are arranged on said bristle base in a row formation.

[cl015] 15. (canceled).

[cl016] 16. (canceled).

[cl017] 17. (original) A device as recited in claim 12 wherein at least a portion of the tongue cleaner includes a material selected from the group consisting of polypropylene, polyethylene, polystyrene, thermoplastic rubber, resin, silicon rubber, natural rubber and plastic.

[cl018] 18. (original) A device as recited in claim 12 wherein said neck is oriented at an angle of less than 180 degrees with said handle longitudinal axis.

[cl019] 19. (original) A device as recited in claim 12 further comprising finger grips located on said handle to enhance secure gripping of the handle by a user of the tongue cleaner.

[cl020] 20. (original) A device as recited in claim 12 wherein at least some of said bristles are of a different length than other of said bristles.

[cl021] 21. (original) A device as recited in claim 12 wherein said bristles terminate in a common plane.

[cl022] 22. (original) A device as recited in claim 12 wherein at least some of said bristles are angled or curved with respect to said handle longitudinal axis.

[cl023] 23. (original) A device as recited in claim 12 wherein at least some of said bristles are of a length greater than about 5 mm and less than about 10 mm.

[cl024] 24. (original) A device as recited in claim 12 wherein at least some of said bristles have a base that is not more than about 1 mm in diameter.

[cl025] 25. (currently amended) A device as recited in claim 12 wherein said bristle base has a top and a bottom, [further comprising] and said [a] tongue scraper blade in said head region emanates from said bristle base top, said tongue scraper blade having sufficient flexibility to be useful in removing undesirable material from a human tongue by a scraping action[.].

[cl026] 26. (original) A device as recited in claim 12 further comprising a plurality of tongue scraper blades in said head region.

[cl027] 27. (original) A device as recited in claim 26 wherein said tongue scraper blades include at least one primary tongue scraper blade and at least one secondary tongue scraper blade, said secondary tongue scraper blades serving to mechanically reinforce said primary tongue scraper blade.